

SNAKES



1 SNAKES

LT Series Snake

Our LT series snake is made for the ultimate in touring durability and function. These feature our heavy-duty 14awg steel boxes and a brushed aluminum input plate. The cable is our Torque series multi-pair, each channel is individually jacketed and numbered. This cable is made with special polyurethane that

makes this cable ultra flexible and durable for the abuses of touring. All-metal Neutrik connectors and metal strain relief is used throughout. For Custom configurations please refer to our custom configuration box at the bottom of the page.



Features


- Touring industry standard
- All metal Neutrik XLRs
- 14awg steel box
- individually - jacketed high flex multi-pair

PART #	
6 CHANNEL NO RETURNS	
LT-06NR-50	
LT-06NR-100	
LT-06NR-150	
LT-06NR-200	
12 CHANNEL NO RETURNS	
LT-12NR-50	
LT-12NR-100	
LT-12NR-150	
LT-12NR-200	
24 CHANNEL NO RETURNS	
LT-24NR-50	
LT-24NR-100	
LT-24NR-150	
LT-24NR-200	
32 CHANNEL 10 RETURNS	
LT-3210-50	
LT-3210-100	
LT-3210-150	
LT-3210-200	

PART #	
6 CHANNEL 3 RETURNS	
LT-0603-50	
LT-0603-100	
LT-0603-150	
LT-0603-200	
12 CHANNEL 4 RETURNS	
LT-1204-50	
LT-1204-100	
LT-1204-150	
LT-1204-200	
24 CHANNEL 4 RETURNS	
LT-2404-50	
LT-2404-100	
LT-2404-150	
LT-2404-200	
40 CHANNEL NO RETURNS	
LT-40NR-50	
LT-40NR-100	
LT-40NR-150	
LT-40NR-200	

PART #	
8 CHANNEL NO RETURNS	
LT-08NR-50	
LT-08NR-100	
LT-08NR-150	
LT-08NR-200	
16 CHANNEL NO RETURNS	
LT-16NR-50	
LT-16NR-100	
LT-16NR-150	
LT-16NR-200	
24 CHANNEL 8 RETURNS	
LT-2408-50	
LT-2408-100	
LT-2408-150	
LT-2408-200	
40 CHANNEL 12 RETURNS	
LT-4012-50	
LT-4012-100	
LT-4012-150	
LT-4012-200	

PART #	
8 CHANNEL 4 RETURNS	
LT-0804-50	
LT-0804-100	
LT-0804-150	
LT-0804-200	
16 CHANNEL 4 RETURNS	
LT-1604-50	
LT-1604-100	
LT-1604-150	
LT-1604-200	
32 CHANNEL NO RETURNS	
LT-32NR-50	
LT-32NR-100	
LT-32NR-150	
LT-32NR-200	
50 CHANNEL NO RETURNS	
LT-50NR-50	
LT-50NR-100	
LT-50NR-150	
LT-50NR-200	



1 SNAKES

LS Series Snake

The LS series snakes features Amphenol connectors and our slim style snake box for a cost effective yet high quality snake. Made for a tight budget but still has the durability that is required for the rigors of touring. Available with XLR or TRS returns.



Features


- Amphenol XLRs
- 14awg steel box
- Torque Series individually - jacketed high flex multi-pair

PART #	
6 CHANNEL NO RETURNS	
LS-06NR-50	
LS-06NR-100	
LS-06NR-150	
LS-06NR-200	
12 CHANNEL NO RETURNS	
LS-12NR-50	
LS-12NR-100	
LS-12NR-150	
LS-12NR-200	
24 CHANNEL NO RETURNS	
LS-24NR-50	
LS-24NR-100	
LS-24NR-150	
LS-24NR-200	

PART #	
6 CHANNEL 3 RETURNS	
LS-0603-50	
LS-0603-100	
LS-0603-150	
LS-0603-200	
12 CHANNEL 4 RETURNS	
LS-1204-50	
LS-1204-100	
LS-1204-150	
LS-1204-200	
24 CHANNEL 4 RETURNS	
LS-2404-50	
LS-2404-100	
LS-2404-150	
LS-2404-200	

PART #	
8 CHANNEL NO RETURNS	
LS-08NR-50	
LS-08NR-100	
LS-08NR-150	
LS-08NR-200	
16 CHANNEL NO RETURNS	
LS-16NR-50	
LS-16NR-100	
LS-16NR-150	
LS-16NR-200	

PART #	
8 CHANNEL 4 RETURNS	
LS-0804-50	
LS-0804-100	
LS-0804-150	
LS-0804-200	
16 CHANNEL 4 RETURNS	
LS-1604-50	
LS-1604-100	
LS-1604-150	
LS-1604-200	



1 SNAKES

Sub Snakes

The SUB-8, SUB-12 and SUB-16 are the ultimate in stage drops for Drum risers, keyboards and vocals. It is a sleek design made with our Torque series multi-pair and a 14awg steel compact box. All metal Neutrik connectors in a compact but ultra durable sub snake. Also available with our 25, 37 and 54 pin Veam multipin connectors for quick disconnect.



SUB BOX WITH VEAM

PART #	
8 CHANNEL SUB BOX WITH VEAM	
LTSUB8V	
12 CHANNEL SUB BOX WITH VEAM	
LTSUB12V	
16 CHANNEL SUB BOX WITH VEAM	
LTSUB16V	



Shown with optional colour faceplate

SUB BOX TO VEAM

PART #	
8 CHANNEL SUB BOX TO VEAM	
LTSUB8-25V	
LTSUB8-50V	
LTSUB8-75V	
LTSUB8-100V	
12 CHANNEL SUB BOX TO VEAM	
LTSUB12-25V	
LTSUB12-50V	
LTSUB12-75V	
LTSUB12-100V	
16 CHANNEL SUB BOX TO VEAM	
LTSUB16-25V	
LTSUB16-50V	
LTSUB16-75V	
LTSUB16-100V	

VEAM TO VEAM EXTENSION

PART #	
8 CHANNEL VEAM TO VEAM EXTENSION	
LT8VMVF-25	
LT8VMVF-50	
LT8VMVF-75	
LT8VMVF-100	
12 CHANNEL VEAM TO VEAM EXTENSION	
LT12VMVF-25	
LT12VMVF-50	
LT12VMVF-75	
LT12VMVF-100	
16 CHANNEL VEAM TO VEAM EXTENSION	
LT16VMVF-25	
LT16VMVF-50	
LT16VMVF-75	
LT16VMVF-100	

HARDWIRED SUB SNAKES

PART #	
8 CHANNEL HARDWIRED SUB SNAKE	
LTSUB88-25	
LTSUB88-50	
LTSUB88-75	
LTSUB88-100	
12 CHANNEL HARDWIRED SUB SNAKE	
LTSUB12-25	
LTSUB12-50	
LTSUB12-75	
LTSUB12-100	
16 CHANNEL HARDWIRED SUB SNAKE	
LTSUB16-25	
LTSUB16-50	
LTSUB16-75	
LTSUB16-100	




VEAM TO XLR SPLAY

PART #	
8 CHANNEL VEAM TO XLR SPLAY	
LT8VFXM-06	
LT8VFXM-25	
LT8VFXM-50	
LT8VFXM-75	
LT8VFXM-100	
12 CHANNEL VEAM TO XLR SPLAY	
LT12VFXM-06	
LT12VFXM-25	
LT12VFXM-50	
LT12VFXM-75	
LT12VFXM-100	
16 CHANNEL VEAM TO XLR SPLAY	
LT16VFXM-06	
LT16VFXM-25	
LT16VFXM-50	
LT16VFXM-75	
LT16VFXM-100	

1 SNAKES

Touring Snake Reels

The LTSR series of snake reels features our Torque multi-pair and all metal Neutrik connectors. The cable reel is made from heavy-duty steel tubing, castors and braking. Set up time is quick and the cable reel also helps in keeping the multi-pair true for long life durability. Many custom configurations are available in both audio and video applications. Also available are large format reels in rolling cases. Please contact our sales department for more information.




PART #	
TOURING SNAKE REEL 12X4	
LTSR-1204-100	
LTSR-1204-150	
TOURING SNAKE REEL 16X4	
LTSR-1604-100	
LTSR-1604-150	
TOURING SNAKE REEL 24X4	
LTSR-2404-100	
LTSR-2404-150	



1 SNAKES

Our large format pro touring snakes are made for the ultimate in durability and function. From our Torque series Veam or MASS multi-pins, high flex individually jacketed multi-pair and Lundahl splitting transformers, there is no better combination. Our in house metalwork shop can custom configure your snake to fit your needs. Also featuring the touring industry only recessed toggle type ground lift switches, making it impossible to damage them.



Features:

- Optional world finest Swedish made Lundahl Transformers
- Recessed ground lift toggle type switches
- Brushed aluminum anodised laser engraved front panel
- Neutrik metal connectors
- Choice of Veam or MASS multi-pin connectors



PART #	DESCRIPTION
RACK MOUNT SNAKE HEAD - PASSIVE SPLIT	
LTRMB24NRBM	24 No Ret FOH & Mon Multipin
LTRMB2404BM	24 4 Ret FOH & Mon Multipin
LTRMB2408BM	24x8 FOH & Mon Multipin
LTRMB36NRBM	36 No Ret FOH & Mon Multipin
LTRMB3608BM	32x8 FOH & Mon Multipin
LTRMB42NRBM	42 No Ret FOH & Mon Multipin
LTRMB4208BM	42x8 FOH & Mon Multipin
LTRMB50NRBM	50 No Ret FOH & Mon Multipin

PART #	DESCRIPTION
RACK MOUNT SNAKE HEAD - 1 ISO LUNDAHL LL1591 (1 isolated non-faraday shield split / FOH & Mon VEAM multi-pin)	
LTRMB24NRBM-1S	24 No Ret FOH & Mon Multipin
LTRMB2404BM-1S	24 4 Ret FOH & Mon Multipin
LTRMB2408BM-1S	24x8 FOH & Mon Multipin
LTRMB36NRBM-1S	36 No Ret FOH & Mon Multipin
LTRMB3608BM-1S	32x8 FOH & Mon Multipin
LTRMB42NRBM-1S	42 No Ret FOH & Mon Multipin
LTRMB4208BM-1S	42x8 FOH & Mon Multipin
LTRMB50NRBM-1S	50 No Ret FOH & Mon Multipin

PART #	DESCRIPTION
RACK MOUNT SNAKE HEAD - 1 ISO LUNDAHL LL1527XL (1 isolated high level with faraday shield split / FOH & Mon VEAM multi-pin)	
LTRMB24NRBM-1SX	24 No Ret FOH & Mon Multipin
LTRMB2404BM-1SX	24 4 Ret FOH & Mon Multipin
LTRMB2408BM-1SX	24x8 FOH & Mon Multipin
LTRMB36NRBM-1SX	36 No Ret FOH & Mon Multipin
LTRMB3608BM-1SX	32x8 FOH & Mon Multipin
LTRMB42NRBM-1SX	42 No Ret FOH & Mon Multipin
LTRMB4208BM-1SX	42x8 FOH & Mon Multipin
LTRMB50NRBM-1SX	50 No Ret FOH & Mon Multipin

PART #	DESCRIPTION
RACK MOUNT SNAKE HEAD - 2 ISO LUNDAHL LL1581XL (2 isolated high level with faraday shield split/FOH, Mon & Broadcast VEAM multi-pin)	
LTRMB24NRBM-2SX	24 No Ret FOH, Mon & Broadcast Multipin
LTRMB2404BM-2SX	24 4 Ret FOH, Mon & Broadcast Multipin
LTRMB2408BM-2SX	24x8 FOH, Mon & Broadcast Multipin
LTRMB36NRBM-2SX	36 No Ret FOH, Mon & Broadcast Multipin
LTRMB3608BM-2SX	32x8 FOH, Mon & Broadcast Multipin
LTRMB42NRBM-2SX	42 No Ret FOH, Mon & Broadcast Multipin
LTRMB4208BM-2SX	42x8 FOH, Mon & Broadcast Multipin
LTRMB50NRBM-2SX	50 No Ret FOH, Mon & Broadcast Multipin

1 SNAKES

Veam to Veam snake



PART

8 CHANNEL VEAM TO VEAM EXTENSION

LT8VMVF-25	
LT8VMVF-50	
LT8VMVF-75	
LT8VMVF-100	
LT8VMVF-125	
LT8VMVF-150	
LT8VMVF-175	
LT8VMVF-200	

12 CHANNEL VEAM TO VEAM EXTENSION

LT12VMVF-25	
LT12VMVF-50	
LT12VMVF-75	
LT12VMVF-100	
LT12VMVF-125	
LT12VMVF-150	
LT12VMVF-175	
LT12VMVF-200	

16 CHANNEL VEAM TO VEAM EXTENSION

LT16VMVF-25	
LT16VMVF-50	
LT16VMVF-75	
LT16VMVF-100	
LT16VMVF-125	
LT16VMVF-150	
LT16VMVF-175	
LT16VMVF-200	

Features:

- Veam or MASS Multipin connectors
- Torque high flex individually jacketed and numbered multipair
- Dust caps are optional on Veam snakes.
- MASS snakes come with caps

PART

28 CHANNEL VEAM TO VEAM EXTENSION

LT28VMVF-25	
LT28VMVF-50	
LT28VMVF-75	
LT28VMVF-100	
LT28VMVF-125	
LT28VMVF-150	
LT28VMVF-175	
LT28VMVF-200	

36 CHANNEL VEAM TO VEAM EXTENSION

LT36VMVF-25	
LT36VMVF-50	
LT36VMVF-75	
LT36VMVF-100	
LT36VMVF-125	
LT36VMVF-150	
LT36VMVF-175	
LT36VMVF-200	

42 CHANNEL VEAM TO VEAM EXTENSION

LT42VMVF-25	
LT42VMVF-50	
LT42VMVF-75	
LT42VMVF-100	
LT42VMVF-125	
LT42VMVF-150	
LT42VMVF-175	
LT42VMVF-200	

50 CHANNEL VEAM TO VEAM EXTENSION

LT50VMVF-25	
LT50VMVF-50	
LT50VMVF-75	
LT50VMVF-100	
LT50VMVF-125	
LT50VMVF-150	
LT50VMVF-175	
LT50VMVF-200	

MASS to MASS snake



PART

40 CHANNEL MASS 122 TO MASS 122 EXTENSION

LTMASMMM40-25	
LTMASMMM40-50	
LTMASMMM40-75	
LTMASMMM40-100	
LTMASMMM40-125	
LTMASMMM40-150	
LTMASMMM40-175	
LTMASMMM40-200	

56 CHANNEL MASS 176 TO MASS 176 EXTENSION

LTMASMMM56-25	
LTMASMMM56-50	
LTMASMMM56-75	
LTMASMMM56-100	
LTMASMMM56-125	
LTMASMMM56-150	
LTMASMMM56-175	
LTMASMMM56-200	

1 SNAKES

VEAM to XLR splay



PART

8 CHANNEL VEAM TO XLR SPLAY

LT8VFXM-06	
LT8VFXM-25	
LT8VFXM-50	
LT8VFXM-75	
LT8VFXM-100	
LT8VFXM-125	
LT8VFXM-150	
LT8VFXM-175	
LT8VFXM-200	

12 CHANNEL VEAM TO XLR SPLAY

LT12VFXM-06	
LT12VFXM-25	
LT12VFXM-50	
LT12VFXM-75	
LT12VFXM-100	
LT12VFXM-125	
LT12VFXM-150	
LT12VFXM-175	
LT12VFXM-200	

16 CHANNEL VEAM TO XLR SPLAY

LT16VFXM-06	
LT16VFXM-25	
LT16VFXM-50	
LT16VFXM-75	
LT16VFXM-100	
LT16VFXM-125	
LT16VFXM-150	
LT16VFXM-175	
LT16VFXM-200	

Features:

- Veam or MASS Multipin connectors
- Torque high flex individually jacketed and numbered multipair
- Neutrik connectors
- Dust caps are optional on Veam snakes.
- MASS snakes come with caps

PART

28 CHANNEL VEAM TO XLR SPLAY

LT28VFXM-06	
LT28VFXM-25	
LT28VFXM-50	
LT28VFXM-75	
LT28VFXM-100	
LT28VFXM-125	
LT28VFXM-150	
LT28VFXM-175	
LT28VFXM-200	

36 CHANNEL VEAM TO XLR SPLAY

LT36VFXM-06	
LT36VFXM-25	
LT36VFXM-50	
LT36VFXM-75	
LT36VFXM-100	
LT36VFXM-125	
LT36VFXM-150	
LT36VFXM-175	
LT36VFXM-200	

42 CHANNEL VEAM TO XLR SPLAY

LT42VFXM-06	
LT42VFXM-25	
LT42VFXM-50	
LT42VFXM-75	
LT42VFXM-100	
LT42VFXM-125	
LT42VFXM-150	
LT42VFXM-175	
LT42VFXM-200	

50 CHANNEL VEAM TO XLR SPLAY

LT50VFXM-06	
LT50VFXM-25	
LT50VFXM-50	
LT50VFXM-75	
LT50VFXM-100	
LT50VFXM-125	
LT50VFXM-150	
LT50VFXM-175	
LT50VFXM-200	

MASS to XLR splay



PART

40 CHANNEL MASS TO XLR SPLAY

LTMASMXM40-6	
LTMASMXM40-25	
LTMASMXM40-50	
LTMASMXM40-75	
LTMASMXM40-100	
LTMASMXM40-125	
LTMASMXM40-150	
LTMASMXM40-175	
LTMASMXM40-200	

56 CHANNEL MASS TO XLR SPLAY

LTMASMXM56-6	
LTMASMXM56-25	
LTMASMXM56-50	
LTMASMXM56-75	
LTMASMXM56-100	
LTMASMXM56-125	
LTMASMXM56-150	
LTMASMXM56-175	
LTMASMXM56-200	